Clinical and Experimental Pharmacology and Physiology (1993) **20**, 817–828

AUTHOR INDEX

Abe, I., see Tsuchihashi, T.
Abe, I., see Matsumura, K.
Adachi, M., Nara, Y., Mano, M., Ikeda, K., Horie, R. and Yamori, Y. Intralymphocytic free calcium and magnesium in stroke-prone spontaneously hypertensive rats and effects of blood pressure and various antihypertensive agents 587
Adam, W. R., see Di Nicolantonio, R.
Agarwal, M., see Ezimokhai, M.
Agrotis, A., see Saltis, J.
Agrotis, A., Bray, P. J., Saltis, J. and Bobik, A. Vascular smooth muscle cell proliferation in SHR and WKY rats: Evidence for specific differences in growth inhibitory regulatory mechanisms (Short Comm.) 327
Alemany, M., see Rafecas, I.
Ali, B. H. and Bashir, A. A. The effect of some α_2-adrenoceptor agonists and antagonists on gastrointestinal transit in mice: Influence of morphine, castor oil and glucose 1
Almotrefi, A. A., see Dzimiri, N.
Aloamaka, C. P., see Ezimokhai, M.
Aloamaka, C. P., see Orie, N. N.
Aminian, A., see Di Nicolantonio, R.
Anderson, A. P., see Bussau, L. J.
Anderson, K. E., Myers, D. and Woodcock, E. A. Stimulation of phosphatidylinositol turnover in adult rat left atria does not involve release of inositol(1,4,5)*tris*phosphate (Short Comm.) 335
Ando, M., see Hirano, T.
Andrews, R. K., see Woodcock, E. A.
Angus P. W., see Elliot, S. L.
Arakawa, K., see Tashiro, E.
Arakawa, K., see Zanchetti, A.
Araki, N., see Takagi, K.
Aykut, L., see Wang, D. Z-M.
Bachmann, A. W., Ballantine, D. M. and Gordon, R. D. Effect of positive family history of hypertension on the blood pressure and catecholamine responses to a 6 hour adrenaline infusion (Short Comm.) 395
Ballantine, D. M., see Bachmann, A. W.
Bapna, J. S., see Viswanathan, S.
Barrientos, C., González, P., Tuñón, M. J., Culebras, J. M. and González-Gallego, J. Effects of diabetes on disposition and hepatic handling of cefmetazole in rats 399
Bashir, A. A., see Ali, B. H.
Basso, D., see Panozzo, M. P.
Bell, L. B., Quandt, L. M., O'Hagan, K. P., Mittelstadt, S. W. and Clifford, P. S. Respiratory alterations with intrapericardial procaine in the conscious rabbit 753
Belleville, I., see Yoa, R. G.
Benzoni, D., see Boussairi, E. H.
Benzoni, D., see Zhang, B. L.
Beveridge, A. A., see Bussau, L. J.
Beveridge, A. A., see Thomas, S. G.
Birchall, I., see Liu, D. T.
Blasioli, J., Kladis, A., Clarke, I. J. and Campbell, D. J. Sheep hypothalamus contains a non-angiotensin ligand for type 1 and type 2 angiotensin II receptors 555
Bobik, A., see Agrotis, A.
Bobik, A., see Saltis, J.
Booth, R. J. and Hodgson, W. C. Effects of aldose reductase inhibition with epalrestat on diabetes-induced changes in rat isolated atria 207

Bose, K., see Chia, S. E.
Boulebda, N., Van Overloop, B. and Gairard, A. Endothelium-derived relaxing factor, hypertension and chronic parathyroidectomy in spontaneously hypertensive and Wistar-Kyoto rats 773
Boura, A. L. A., see Di Grande, A.
Boussairi, E. H., Sacquet, J., Benzoni, D. and Sassard, J. Blood pressure effects of thromboxane A_2 blockade in spontaneously hypertensive rats 679
Bray, P. J., see Agrotis, A.
Brown, M. A., see Wong, K. S.
Burrell, L. M., Phillips, P. A., Stephenson, J., Risvanis, J., Hutchins, A-M. and Johnston, C.I. Effects of an orally active vasopressin V_1 receptor antagonist (Short Comm.) 388
Bussau, L. J., Beveridge, A. A., Nadeson, R. and Anderson, A. P. The marine natural product 3,5-dibromo-2-(2,4-dibromo-phenoxy)phenol, inhibits contractile activity in the guinea-pig ileum 697
Campbell, D. J., see Blasioli, J.
Carney, S. L., Gillies, A. H. B. and Ray, C. D. Acute effect of physiological concentrations of vasopressin on rat renal function 113
Casley, D., see Trinder, D.
Cecchetto, A., see Panozzo, M. P.
Challinor, J. L. and McPherson, G. A. Evidence that imidazol(id)ine- and sulphonylurea-based antagonists of cromakalim act at different sites in the rat thoracic aorta 467
Chalmers, J., see Zanchetti, A.
Chang, S-S. and Cheng, J-T. Inhibitory effect of octopamine on the release of endogenous acetylcholine from isolated myenteric synaptosomes of guinea-pig 713
Charlesworth, J. A., see Makarious, M.
Chen, S-J., see Wu, C-C.
Chen, S-S., see Shen, M-R.
Cheng, J-T., see Chang, S-S.
Cherian, T., see Ezimokhai, M.
Chia, S. E., Goh, J., Lee, G., Foo, S. C., Gan, S. L., Bose, K. and Jeyaratnam, J. Use of a computerized postural sway measurement system for assessing workers exposed to manganese 549
Chiba, S., see Iwatsuki, K.
Clarke, I. J., see Blasioli, J.
Clifford, P. S., see Bell, L. B.
Cohen, N., Phillips, P., Gilbert, R. and Jerums, G. Dissociation of blood pressure and albuminuria in normal subjects infused with angiotensin II and noradrenaline (Short Comm.) 317
Corvol, P., see Klemm, S.
Costa, M. and Majewski, H. The effects of pertussis toxin on vasoconstrictor and vasodilator agents in the pithed rat may not be an indicator of G-protein receptor coupling 169
Creed, K. E. and Malmgren, A. The effect of cromakalim on the electrical properties of and [$^{86}Rb^+$] efflux from normal and hypertrophied rat bladder 215
Cruz, C., Ibarra-Rubio, M. E. and Pedraza-Chaverri, J. Circulating levels of active, total and inactive renin (prorenin), angiotensin I and angiotensinogen in carbon tetrachloride-treated rats 83
Culebras, J. M., see Barrientos, C.
Dantzer, V., see Hagemann, A.
Del Favero, G., see Panozzo, M. P.
Delaney, P. M., Harris, M. R. and King, R. G. Novel microscopy using fibre optic confocal imaging and its suitability for subsurface blood vessel imaging *in vivo* 197
Denton, D. A., see Wong, K. S.
Di Grande, A., Boura, A. L. A., Read, M. A., Malatino, L. S. and Walters, W. A. W. Release of a substance from the human placenta having digoxin-like immunoreactivity 603
Di Nicolantonio, R., see Wang, D. Z-M.
Di Nicolantonio, R., Walker, L. L., Harris, P. J., Aminian, A., Adam, W. R. and Morgan, T. O. Altered blood pressure, renal tubular function and levels of circulating inhibitors of Na-K-ATPase in mature SHR exposed to low salt diet in the perinatal period (Short Comm.) 346
Dou, Y-L. and Tang, F. Effect of environmental and hypothalamic factors on thyrotropin secretion in the hypothyroid rat 65

Duggan, K. A., see Makarious, M.
Duggan, K. A., see Yang, Y.
Dzimiri, N. and Almotrefi, A. A. Investigation of class I anti-arrhythmic drug actions on guinea-pig cardiac mitochondrial lactate dehydrogenase activity 201
Egashira, T., see Naganuma, H.
Elghozi, J-L., see Laude, D.
Elliot, S. L., Morgan D. J., Angus P. W., Ghabrial H. and Smallwood, R. A. Sensitivity of propranolol elimination to hypoxia in the isolated perfused rat liver preparation 27
Elsegood, C. L., see Mortimer, B-C.
Escourrou, P., see Laude, D.
Espiner, E., see Nicholson, S.
Esteve, M., see Rafecas, I.
Ezimokhai, M., Aloamaka, C. P., Cherian, T., Agarwal, M. and Morrison, J. Plasma from normal pregnant women alters the reactivity of rabbit aortic smooth muscle with functional endothelium 435
Fabris, C., see Panozzo, M. P.
Fernández-López, J-A., see Rafecas, I.
Finn, W. L., Tunny, T. J., Klemm, S. A., Ryan, S. J. and Gordon, R. D. Ageing and blood pressure regulation: Dose–response relationships for angiotensin, blood pressure, atrial natriuretic peptide and aldosterone in normal subjects of varying ages (Short Comm.) 392
Fletcher, D. R., see Rubinstein, C.
Foo, S. C., see Chia, S. E.
Fujii, I., see Naganuma, H.
Fujishima, M., see Matsumura, K.
Fujishima, M., see Tsuchihashi, T.
Fukamizu, A., see Loudon, J. A.
Funakoshi, M., see Sawada, S.
Furui, H., see Hirano, T.
Gairard, A., see Boulebda, N.
Gan, S. L., see Chia, S. E.
Gathiram, P., see Takeda, Y.
Ghabrial H., see Elliot, S. L.
Gilbert, R., see Cohen, N.
Gillies, A. H. B., see Carney, S. L.
Goh, J., see Chia, S. E.
Goldman, M., see Laude, D.
Goldstein, M., see Tsuda, K.
González, P., see Barrientos, C.
González-Gallego, J., see Barrientos, C.
Gordon, R. D., Ziesak, M. D., Tunny, T. J., Stowasser, M. and Klemm, S. A. Evidence that primary aldosteronism may not be uncommon: 12% incidence among antihypertensive drug trial volunteers (Short Comm.) 296
Gordon, R. D., see Bachmann, A. W.
Gordon, R. D., see Finn, W. L.
Gordon, R. D., see Klemm, S.
Gordon, R. D., see Stowasser, M.
Gordon, R. D., see Tunny, T. J.
Gregorio-King, C., see Wang, D. Z-M.
Grice, J. E., see Torpy, D. J.
Gyarfas, I., see Zanchetti, A.
Hagemann, A., Dantzer, V., Nielsen, A. H. and Poulsen, K. Renin and prorenin in reproductive tissues during gestation in pigs and cattle 41
Hamet, P., see Zanchetti, A.
Hansson, L., see Zanchetti, A.
Harris, M. R., see Delaney, P. M.
Harris, P. J., see Di Nicolantonio, R.

Hashimoto, N., see Iihara, K.
Hasnain, Q. and Macdonald, G. Metabolism studies of uridine in rats with DOCA-salt hypertension and on high sodium diet (Short Comm.) 384
Hasnain, Q., Macdonald, G. and Haupert, G. T. Metabolism of uridine in expanded extracellular volume states (Short Comm.) 313
Hattori, K., see Kakizoe, E.
Hattori, K., see Ohta, F.
Hattori, K., see Okada, K.
Haupert, G. T., see Hasnain, Q.
Hayashi, K., Uchida, T., Kido, H., Shinyama, H. and Watanabe, M. Effects of AE0047 on renal haemodynamics and function in anaesthetized dogs 103
Hayashi, S., see Minamisawa, K.
Haynes, J. M. and Pennefather, J. N. A_1- and A_2-purinoceptors in the guinea-pig uterus 609
Hazama, F., see Iihara, K.
Head, G. A., see Saigusa, T.
Higaki, J., see Morishita, R.
Higaki, J., see Nakamura, F.
Higashimori, K., see Nakamura, F.
Hirano, T., Ando, M., Suzuki, K., Furui, H., Miyamoto, K. and Takagi, K. Effect of xanthine derivatives on chemotactic polypeptide-induced superoxide and enzyme release from human polymorphonuclear leucocytes 579
Hirawa, N., see Minamisawa, K.
Hockings, G. I., see Torpy, D. J.
Hodgson, W. C., see Booth, R. J.
Hoka, S., Takeshita, A., Yamamoto, K. and Ito, N. Effects of high salt intake on control of hindlimb vascular resistance by arterial baroreflex and vagal afferents in spontaneously hypertensive rats 663
Honda, M., see Kuzuo, H.
Horie, R., see Adachi, M.
Horie, R., Mano, M. and Omura, K. Cerebrovascular protection by sequential bilateral carotid artery ligation in aged spontaneously hypertensive rats 71
Horne, R. S. C., MacIsaac, R. J., Moritz, K. M., Tangalakis, K. and Wintour, E. M. Effect of arginine vasopressin and parathyroid hormone-related protein on renal function in the ovine foetus 569
Hosoki, K., see Yamamoto, T.
Howe, P. R. C., see Jablonskis, L. T.
Huggard, P. R., see Summers, K. M.
Hutchins, A-M., see Burrell, L. M.
Ibarra-Rubio, M. E., see Cruz, C.
Ideishi, M., see Tashiro, E.
Iihara, K., Sasahara, M., Saeki, Y., Hashimoto, N., Kikuchi, H. and Hazama, F. Analysis of secretion and expression of platelet-derived growth factor in cultured endothelial cells from stroke-prone spontaneously hypertensive rat 515
Iimura, O., see Iwamoto, T.
Iimura, O., see Miki, T.
Ikeda, K., see Adachi, M.
Ikeda, M., see Tashiro, E.
Infantino, A., see Panozzo, M. P.
Ishii, M., see Minamisawa, K.
Ishikawa, Y., see Minamisawa, K.
Ishiko, T., see Sawada, S.
Ishinaga, Y., see Kuzuo, H.
Ito, H., see Takami, T.
Ito, N., see Hoka, S.
Ito, S., see Tsuruta, S.
Itoh, K., see Kawasaki, T.
Itoya, M., see Iwamoto, T.

Iwamoto, T., Miura, T., Urabe, K., Itoya, M., Shimamoto, K. and Iimura, O. Effect of nicorandil on post-ischaemic contractile dysfunction in the heart: Roles of its ATP-sensitive K^+ channel opening property and nitrate property 595
Iwanov, V., see Karasawa, F.
Iwatsuki, K., Ren, L-M. and Chiba, S. Effects of peptide histidine isoleucine on pancreatic exocrine secretion in anaesthetized dogs 501
Jablonskis, L. T. and Howe, P. R. C. Vasopressin compensates for acute loss of sympathetic pressor tone in spontaneously hypertensive rats (Short Comm.) 380
Jackson, R. V., see Torpy, D. J.
Jerums, G., see Cohen, N.
Jeyaratnam, J., see Chia, S. E.
Jidoi, J., see Kakizoe, E.
Johnston, C. I., see Burrell, L. M.
Johnston, C. I., see Trinder, D.
Johnston, H. J., see Stokes, G. S.
Julius, S., see Zanchetti, A.
Kakizoe, E., Kobayashi, Y., Shimoura, K., Hattori, K. and Jidoi, J. Spectrophotometric study of α-adrenoceptors affecting microcirculation of rat skin 421
Kameswaran, L., see Thirugnanasambantham, P.
Karasawa, F., Iwanov, V. and Moulds, R. F. W. Sufentanil and alfentanil cause vasorelaxation by mechanisms independent of the endothelium 705
Karasawa, T., see Yamamoto, T.
Kawasaki, T., Itoh, K., Uezono, K. and Sasaki, H. A simple method for estimating 24 h urinary sodium and potassium excretion from second morning voiding urine specimen in adults 7
Kido, H., see Hayashi, K.
Kikuchi, H., see Iihara, K.
Kimura, T., see Takeuchi, A.
Kincaid-Smith, P., see Liu, D. T.
King, R. G., see Delaney, P. M.
Kladis, A., see Blasioli, J.
Klemm, S., Pinet, F., Rioual-Caroff, N., Tunny, T., Corvol, P. and Gordon, R. D. Detection of renin mRNA in aldosterone-producing adenomas by polymerase chain reaction (Short Comm.) 303
Klemm, S. A., see Gordon, R. D.
Klemm, S. A., see Finn, W. L.
Klemm, S. A., see Stowasser, M.
Klemm, S. A., see Tunny, T. J.
Kobayashi, K., see Matsumura, K.
Kobayashi, K., see Tsuchihashi, T.
Kobayashi, Y., see Kakizoe, E.
Kobayashi, Y., see Ohta, F.
Kobayashi, Y., see Okada, K.
Koga, M., see Tashiro, E.
Kono, S., see Sawada, S.
Korszniak, N. V. and Story, D. F. α- and β-adrenoceptor agonist activity in the venom of the Australian huntsman spiders, *Delena cancerides* and *Isopeda montana* 127
Krishnamurty, V., see Thirugnanasambantham, P.
Kuramochi, T., see Kuzuo, H.
Kuzuo, H., Honda, M., Ishinaga, Y., Morioka, S., Tanaka, K., Kuramochi, T., Mansoor, A. M., Yamori, Y. and Moriyama, K. Angiotensin converting enzyme inhibitor, captopril, inhibits cardiac hypertrophy without changing collagen types and concentration in spontaneously hypertensive rats 253
La, M. and Rand, M. J. Neurogenic vasodilatation in isolated perfused segments of rabbit jejunal artery (Short Comm.) 355
Land, S. L., see Woodcock, E. A.
Laude, D., Goldman, M., Escourrou, P. and Elghozi, J-L. Effect of breathing pattern on blood pressure and heart rate oscillations in humans 619

Ledingham, J. M. and Millar, J. A. Stereological studies on mesenteric resistance artery structure in New Zealand genetically hypertensive and control rats (Short Comm.) 359
Ledingham, J. M., Phelan, E. L. and Millar, J. A. Effects of cilazapril on the structure of mesenteric resistance arteries of New Zealand genetically hypertensive and normotensive control rats (Short Comm.) 362
Lee, G., see Chia, S. E.
Lew, R. A. and Smith, A. I. Identification and characterization of an amidating enzyme in ovine heart 231
Li, C. G., see McLaren, A.
Li, C. G., see Rand, M. J.
Li, C. G. and Rand, M. J. Effects of hydroxocobalamin and haemoglobin on NO-mediated relaxations in the rat anococcygeus muscle 633
Li, M., Wong, K-S. and Whitworth, J. A. Influence of somatostatin analogue (SMS 201-995, octreotide) on blood pressure in adrenocorticotrophin (ACTH) treated rats: Role of hyperinsulinaemia in ACTH hypertension 647
Li, N., see Sawamura, M.
Licciardi, A., see Quatrini, U.
Linden, J., see Shen, M-R.
Liu, D. T., Birchall, I., Kincaid-Smith, P. and Whitworth, J. A. Effect of dietary sodium chloride on the development of renal glomerular and vascular lesions in hypertensive rats 763
Liu, K. L., see Zhang, B. L.
Loudon, J. A., Fukamizu, A., Murakami, K. and Morris, B. J. Species differences in binding of submandibular nuclear proteins to renin promoter DNA (Short Comm.) 283
Macdonald, G., see Hasnain, Q.
Macdonald, G. J., see Makarious, M.
Macdonald, G. J., see Yang, Y.
MacIsaac, R. J., see Horne, R. S. C.
MacMahon, S., see Zanchetti, A.
Majewski, H., see Costa, M.
Makarious, M., Duggan, K., Charlesworth, J. A. and Macdonald, G. J. Abnormality of the glomerular angiotensin II receptor in experimental diabetic nephropathy (Short Comm.) 348
Malatino, L. S., see Di Grande, A.
Maling, T. J. B., van Wissen, K. and Siebers, R. W. L. Transmembrane *in vitro* and *in vivo* sodium–lithium countertransport in New Zealand Maori (Short Comm.) 289
Malmgren, A., see Creed, K. E.
Mancia, G., see Zanchetti, A.
Mano, M., see Adachi, M.
Mano, M., see Horie, R.
Mansoor, A. M., see Kuzuo, H.
Martinand, A., see Yoa, R. G.
Mary, P. L. and Rao, J. P. Role of sodium-potassium ATPase in phosphate transport by the everted sacs of mouse intestine 149
Masuyama, Y., see Tsuda, K.
Matsumura, K., Abe, I., Tsuchihashi, T., Kobayashi, K. and Fujishima, M. Circadian variations of blood pressure and pulse rate in essential hypertensives with diabetes mellitus 155
McCune, S. A., see Radin, M. J.
McGrath, B. P., see Noshiro, T.
McGrath, B. P., see Shimizu, K.
McGrath, B. P., see Wang, Z-Q.
McLaren, A., Li, C. G., and Rand, M. J. Mediators of nicotine-induced relaxations of the rat gastric fundus 451
McPherson, G. A., see Challinor, J. L.
Ménard, J., see Zanchetti, A.
Mikami, H., see Morishita, R.
Mikami, H., see Nakamura, F.
Mikawa, H., see Tsuruta, S.
Miki, T., Miura, T., Shimamoto, K., Urabe, K., Sakamoto, J. and Iimura, O. Do angiotensin converting enzyme inhibitors limit myocardial infarct size? 429

Millar, J. A., see Ledingham, J. M.
Minamisawa, K., Umemura, S., Hirawa, N., Hayashi, S., Toya, Y., Ishikawa, Y., Yasuda, G. and Ishii, M. Characteristic localization of α_1 and α_2-adrenoceptors in the human kidney 523
Mita, S., see Tanaka, M.
Mittelstadt, S. W., see Bell, L. B.
Miura, S., see Tashiro, E.
Miura, T., see Iwamoto, T.
Miura, T., see Miki, T.
Miura, Y., see Noshiro, T.
Miyamori, I., see Takeda, Y.
Miyamoto, K., see Hirano, T.
Miyazaki, M., see Morishita, R.
Monaghan, J. C., see Stokes, G. S.
Mooser, V., see Trinder, D.
Morgan D. J., see Elliot, S. L.
Morgan, T. O., see Di Nicolantonio, R.
Morgan, T. O., see Wang, D. Z-M.
Morici, G., see Quatrini, U.
Morioka, S., see Kuzuo, H.
Morishita, R., Higaki, J., Nagano, M., Nakamura, F., Tomita, N., Zhao, Y., Mikami, H., Miyazaki, M. and Ogihara, T. Discrepancy between renin mRNA and plasma renin level in angiotensin-converting enzyme inhibitor-treated rats 15
Morishita, R., see Nakamura, F.
Moritake, K., see Ohta, F.
Moritz, K. M., see Horne, R. S. C.
Moriyama, K., see Kuzuo, H.
Morris, B. J., see Loudon, J. A.
Morris, B. J. Chromosome 17q23: A locus for cardiovascular disease (Short Comm.) 279
Morrison, J., see Ezimokhai, M.
Mortimer, B-C., Umeda, Y., Elsegood, C. L. and Redgrave, T. G. Effects of anaesthesia on the removal from plasma of intravenously injected chylomicron-like lipid emulsions in rats and mice 51
Moulds, R. F. W., see Karasawa, F.
Murakami, K., see Loudon, J. A.
Mutschler, E., see Walland, A.
Myers, D., see Anderson, K. E.
Mythirayee, C., see Thirugnanasambantham, P.
Naccarato, R., see Panozzo, M. P.
Nadeson, R., see Bussau, L. J.
Nagano, M., see Morishita, R.
Nagano, M., see Nakamura, F.
Naganuma, H., Egashira, T. and Fujii, I. Neuroleptics induce penile erection in the rabbit 177
Nakamura, F., Nagano, M., Higaki, J., Higashimori, K., Morishita, R., Mikami, H. and Ogihara, T. The angiotensin-converting enzyme inhibitor, perindopril, prevents cardiac hypertrophy in low-renin hypertensive rats 135
Nakamura, F., see Morishita, R.
Nakao, Y., see Tsuchihashi, T.
Nakase, A., see Okada, K.
Nakata, K., see Tanaka, M.
Nakatsuji, K., see Yamamoto, T.
Nara, Y., see Adachi, M.
Nara, Y., see Sawamura, M.
Neilson, J. A. and West, M. J. Structural influences on resistance in the hindlimb vascular bed of the renal hypertensive rabbit (Short Comm.) 377
Nicholls, G., see Nicholson, S.

Nicholson, S., Richards, M., Espiner, E., Nicholls, G. and Yandle, T. Atrial and brain natriuretic peptide response to exercise in patients with ischaemic heart disease 535
Nielsen, A. H., see Hagemann, A.
Nishio, I., see Tsuda, K.
Noshiro, T., Way, D., Miura, Y. and McGrath, B. P. Enalaprilat restores sensitivity of baroreflex control of renal and total nonadrenaline spillover in heart failure rabbit (Short Comm.) 373
Ogihara, T., see Nakamura, F.
Ogihara, T., see Morishita, R.,
O'Hagan, K. P., see Bell, L. B.
Ohta, F., Kobayashi, Y., Shinozuka, K., Shimoura, K., Hattori, K. and Moritake, K. Effects of nitro-L-arginine on endothelium-dependent relaxation of canine cerebral arteries 413
Okada, K., Shinozuka, K., Shimoura, K., Kobayashi, Y., Hattori, K. and Nakase, A. Effects of reserpine on the content and uptake of dopamine and noradrenaline in rabbit arteries 261
Omie, T., see Zanchetti, A.
Omura, K., see Horie, R.
Orie, N. N. and Aloamaka, C. P. Diabetic rat aorta responsiveness to D600 and nifedipine 77
Palmos, J., see Shimizu, K.
Panozzo, M. P., Fabris, C., Basso, D., Del Favero, G., Infantino, A., Cecchetto, A., Plebani, M. and Naccarato, R. Biliary hyperpressure in rat extrahepatic cholestasis alters horseradish peroxidase biliary excretion 185
Pawlak, M. A., see Yang, Y.
Pedraza-Chaverri, J., see Cruz, C.
Pennefather, J. N., see Haynes, J. M.
Phelan, E. L., see Ledingham, J. M.
Phillips, P., see Cohen, N.
Phillips, P. A., see Burrell, L. M.
Phillips, P. A., see Trinder, D.
Pinet, F., see Klemm, S.
Plebani, M., see Panozzo, M. P.
Poulsen, K., see Hagemann, A.
Quandt, L. M., see Bell, L. B.
Quatrini, U., Licciardi, A. and Morici, G. Oxygen–haemoglobin dissociation curve in hypoxic rats of first or second generation 269
Rabkin, S. W. Morphine and morphiceptin increase the threshold for epinephrine-induced cardiac arrhythmias in the rat through brain mu opioid receptors 95
Radin, M. J. and McCune, S. A. The effect of atrial natriuretic peptide infusion on renal haemodynamics and plasma lipoproteins in puromycin aminonucleoside nephrosis in rats 245
Rafecas, I., Esteve, M., Fernández-López, J-A., Remesar, X. and Alemany, M. Methodological evaluation of indirect calorimetry data in lean and obese rats 731
Rajanayagam, M. A. S. and Rand, M. J. Differential activation of adrenoceptor subtypes by noradrenaline applied from the intimal or adventitial surfaces of rat isolated tail artery 793
Ramaswamy, S., see Thirugnanasambantham, P.
Ramaswamy, S., see Viswanathan, S.
Rand, M. J., see La, M.
Rand, M. J., see Li, C. G.
Rand, M. J., see McLaren, A.
Rand, M. J., see Rajanayagam, M. A. S.
Rand, M. J. and Li, C. G. The inhibition of nitric oxide-mediated relaxations in rat aorta and anococcygeus muscle by diphenylene iodonium 141
Rao, J. P., see Mary, P. L.
Rapin, J. R., see Yoa, R. G.
Ray, C. D., see Carney, S. L.
Read, M. A., see Di Grande, A.
Redgrave, T. G., see Mortimer, B-C.
Reid, J., see Zanchetti, A.

Remesar, X., see Rafecas, I.
Ren, L-M., see Iwatsuki, K.
Richards, M., see Nicholson, S.
Rioual-Caroff, N., see Klemm, S.
Risvanis, J., see Burrell, L. M.
Rubinstein, C., Fletcher, D. R. and Shulkes, A. The intrarenal site of calcitonin gene-related peptide degradation in the isolated perfused rat kidney 477
Ryan, S. J., see Finn, W. L.
Sacquet, J., see Boussairi, E. H.
Sacquet, J., see Zhang, B. L.
Saeki, Y., see Iihara, K.
Safar, M., see Zanchetti, A.
Saigusa, T. and Head, G. A. Renal sympathetic baroreflex effects of angiotensin II infusions into the rostral ventrolateral medulla of the rabbit (Short Comm.) 351
Sakamoto, J., see Miki, T.
Saltis, J., Agrotis, A. and Bobik, A. Age-dependent alterations in vascular smooth muscle cell responsiveness to platelet-derived growth factor in genetic hypertension (Short Comm.) 324
Saltis, J., see Agrotis, A.
Sasaguri, M., see Tashiro, E.
Sasahara, M., see Iihara, K.
Sasaki, H., see Kawasaki, T.
Sassard, J., see Boussairi, E. H.
Sassard, J., see Zhang, B. L.
Satoh, S., see Takeuchi, A.
Sawada, S., Tanaka, H., Funakoshi, M., Shindo, M., Kono, S. and Ishiko, T. Five year prospective study on blood pressure and maximal oxygen uptake 483
Sawamura, M., Li, N., Nara, Y. and Yamori, Y. Proliferative effect of mevalonate metabolites other than isoprenoids on cultured vascular smooth muscle cells 509
Secombe, J., see Wang, Z-Q.
Shen, M-R., Linden, J., Chen, S-S. and Wu, S-N. Identification of adenosine receptors in human spermatozoa 527
Shimamoto, K., see Iwamoto, T.
Shimamoto, K., see Miki, T.
Shimizu, K., see Wang, Z-Q.
Shimizu, K., Wang, Z-Q., Way, D. J., Palmos, J. and McGrath, B. P. Effects of enalaprilat on sympathetic activity and metabolism of exercising muscles in rabbit (Short Comm.) 369
Shimoura, K., see Kakizoe, E.
Shimoura, K., see Ohta, F.
Shimoura, K., see Okada, K.
Shindo, M., see Sawada, S.
Shindo, M., see Tashiro, E.
Shinozuka, K., see Ohta, F.
Shinozuka, K., see Okada, K.
Shinyama, H., see Hayashi, K.
Shulkes, A., see Rubinstein, C.
Siebers, R. W. L., see Maling, T. J. B.
Smallwood, R. A., see Elliot, S. L.
Smith, A. I., see Lew, R. A
Smith, A. I., see Trinder, D.
Stephenson, J., see Burrell, L. M.
Stokes, G. S., Johnston, H. J. and Monaghan, J. C. Humoral determinants of Na^+ excretion after intravenous NaCl loading in normal volunteers (Short Comm.) 310
Story, D. F., see Korzniak, N. V.
Stowasser, M., Tunny, T. J., Klemm, S. A. and Gordon, R. D. Cortisol production by aldosterone-producing adenomas in vitro (Short Comm.) 292

Stowasser, M., see Gordon, R. D.
Stowasser, M., see Tunny, T. J.
Strakosch, C. R., see Torpy, D. J.
Summers, K. M., West, J. A., Huggard, P. R. and West, M. J. Angiotensin-converting enzyme and regulation of blood pressure in a large Australian family (Short Comm.) 320
Suzuki, K., see Hirano, T.
Suzuki, T., see Takami, T.
Takagi, K., see Hirano, T.
Takagi, K. and Araki, N. Relaxant effects of brain natriuretic peptide on guinea-pig tracheal smooth muscle 239
Takami, T., Ito, H. and Suzuki, T. Decreased norepinephrine content in the medulla oblongata in severely hypertensive rats 161
Takata, Y., see Tsuchihashi, T.
Takeda, R., see Takeda, Y.
Takeda, Y., Yoneda, T., Miyamori, I., Gathiram, P. and Takeda, R. 11β-Hydroxysteroid dehydrogenase activity in mesenteric arteries of spontaneously hypertensive rats 627
Takeuchi, A., Kimura, T. and Satoh, S. Effects of nifedipine and Bay-K-8644 on the release of catecholamines from the dog adrenal gland in response to splanchnic nerve stimulation 35
Takishita, S., see Hoka, S.
Takishita, S., see Tsuchihashi, T.
Tanaka, H., see Sawada, S.
Tanaka, H., see Tashiro, E.
Tanaka, K., see Kuzuo, H.
Tanaka, M., Nakata, K. and Mita, S. The inhibitory effect of SA3443, a novel cyclic disulfide compound, on alpha-naphthyl isothiocyanate-induced intrahepatic cholestasis in rats 543
Tang, F., see Dou, Y-L.
Tangalakis, K., see Horne, R. S. C.
Tashiro, E., Miura, S., Koga, M., Sasaguri, M., Ideishi, M., Ikeda, M., Tanaka, H., Shindo, M. and Arakawa, K. Crossover comparison between the depressor effects of low and high work-rate exercise in mild hypertension 689
Thirugnanasambantham, P., see Viswanathan, S.
Thirugnanasambantham, P., Viswanathan, S., Ramaswamy, S., Krishnamurty, V., Mythirayee, C. and Kameswaran, L. Analgesic activity of certain flavone derivatives: A structure–activity study 59
Thomas, S. G. and Beveridge, A. A. The novel marine natural product plocamadiene A causes histamine release from mast cells of the guinea-pig and rat *in vitro* 223
Tominaga, M., see Tsuchihashi, T.
Tomita, N., see Morishita, R.
Topliss, D. J., see Torpy, D. J.
Torpy, D. J., Jackson, R. V., Grice, J. E., Hockings, G. I., Strakosch, C. R. and Topliss, D. J. Naloxone stimulation of ACTH secretion during petrosal sinus sampling in Cushing's syndrome (Short Comm.) 299
Totsuka, T., see Uramoto, I.
Toya, Y., see Minamisawa, K.
Trinder, D., Mooser, V., Phillips, P. A., Smith, A. I., Casley, D. and Johnston, C. I. Monoclonal antibodies to arginine vasopressin receptor bind to liver, kidney and pituitary membranes 443
Tsuchihashi, T., see Matsumura, K.
Tsuchihashi, T., Takata, Y., Nakao, Y., Tominaga, M., Takishita, S., Kobayashi, K., Abe, I. and Fujishima, M. Haemodynamic and humoral consequences of chronic infusion of vasopressin in conscious rats 489
Tsuda, K., Tsuda, S., Goldstein, M. and Masuyama, Y. Effects of verapamil and diltiazem on dopamine release in the central nervous system of spontaneously hypertensive rats 641
Tsuda, K., Tsuda, S., Goldstein, M., Nishio, I. and Masuyama, Y. Effects of bradykinin on [^{3}H]-norepinephrine release in rat hypothalamus 787
Tsuda, S., see Tsuda, K.
Tsuruta, S., Ito, S. and Mikawa, H. Effects of adenosine and its analogues on actin polymerization in human polymorphonuclear leucocytes 89
Tunny, T. J., Klemm, S. A., Stowasser, M. and Gordon, R. D. Angiotensin-responsive aldosterone-producing adenomas: Postoperative disappearance of aldosterone response to angiotensin (Short Comm.) 306
Tunny, T. J., see Finn, W. L.

Tunny, T. J., see Gordon, R. D.
Tunny, T. J., see Klemm, S.
Tunny, T. J., see Stowasser, M.
Tuñón, M. J., see Barrientos, C.
Uchida, T., see Hayashi, K.
Uezono, K., see Kawasaki, T.
Umeda, Y., see Mortimer, B-C.
Umemura, S., see Minamisawa, K.
Urabe, K., see Iwamoto, T.
Urabe, K., see Miki, T.
Uramoto, I., Watanabe K., and Totsuka, T. A possible interpretation for difference in neostigmine-induced changes of spontaneous activities and evoked muscle potentials between rat medial gastrocnemius and soleus muscles 21
van Wissen, K., see Maling, T. J. B.
Van Overloop, B., see Boulebda, N.
Viswanathan, S., see Thirugnanasambantham, P.
Viswanathan, S., Thirugnanasambantham, P., Ramaswamy, S. and Bapna, J. S. A study on the role of cholinergic and gamma amino butyric acid systems in the anti-nociceptive effect of gossypin 193
Wadsworth, R. M. Selectivity of calcium antagonist drugs on vascular smooth muscle 745
Walker, L. L., see Di Nicolantonio, R.
Walland, A., Weihs, H. and Mutschler, E. Perfusion pressure and transmural flow distribution in the left ventricles of isolated rat hearts 723
Walters, W. A. W., see Di Grande, A.
Wang, D. Z-M., Gregorio-King, C., Aykut, L., Wilks, A., Morgan, T. O. and Di Nicolantonio, R. Accurate determination of the size of the first intron deletion in the renin gene of SHR from an Australian colony (Short Comm.) 343
Wang, Z-Q., see Shimizu, K.
Wang, Z-Q., Shimizu, K., Way, D., Secombe, J. and McGrath, B. P. The dopamine prodrug, gludopa, decreases both renal and extrarenal noradrenaline spillover in conscious rabbits (Short Comm.) 365
Watanabe K., see Uramoto, I.
Watanabe, M., see Hayashi, K.
Way, D. J., see Noshiro, T.
Way, D. J., see Shimizu, K.
Way, D. J., see Wang, Z-Q.
Weihs, H., see Walland, A.
West, J. A., see Summers, K. M.
West, M. J., see Neilson, J. A.
West, M. J., see Summers, K. M.
Whitworth, J. A., see Li, M.
Whitworth, J. A., see Liu, D. T.
Whitworth, J. A., see Wong, K. S.
Wiernsperger, N. F., see Yoa, R. G.
Wiernsperger, N., see Zhang, B. L.
Wilks, A., see Wang, D. Z-M.
Williamson, P. M., see Wong, K. S.
Wintour, E. M., see Horne, R. S. C.
Wong, K-S., Williamson, P. M., Brown, M. A., Zammit, V. C., Denton, D. A. and Whitworth, J. A. Effects of cortisol on blood pressure and salt preference in normal humans 121
Wong, K-S., see Li, M.
Woodcock, E. A., see Anderson, K. E.
Woodcock, E. A., Land, S. L. and Andrews, R. K. A low affinity, low molecular weight endothelin-A receptor present in neonatal rat heart (Short Comm.) 331
Wu, C-C., Chen, S-J. and Yen, M-H. Different responses to acetylcholine in the presence of nitric oxide inhibitor in rat aortae and mesenteric arteries 405
Wu, S-N., see Shen, M-R.

Yamamoto, K., see Hoka, S.
Yamamoto, T., Nakatsuji, K., Hosoki, K. and Karasawa, T. Preventive effect of a new calcium antagonist, monatepil, on drug-induced ischaemic electrocardiographic changes in rats 673
Yamamoto, T., Hosoki, K. and Karasawa, T. Anti-arrhythmic effects of a new calcium antagonist, monatepil, AJ-2615, in experimental arrhythmic models 497
Yamori, Y., see Adachi, M.
Yamori, Y., see Kuzuo, H.
Yamori, Y., see Sawamura, M.
Yandle, T., see Nicholson, S.
Yang, Y., Pawlak, M. A., Macdonald, G. J. and Duggan, K. A. Single point estimation of platelet angiotensin II receptor number may not be valid screening test for pregnancy-induced hypertension (Short Comm.) 339
Yasuda, G., see Minamisawa, K.
Yen, M-H., see Wu, C-C.
Yoa, R. G., Rapin, J. R., Wiernsperger, N. F., Martinand, A. and Belleville, I. Demonstration of defective glucose uptake and storage in erythrocytes from non-insulin dependent diabetic patients and effects of metformin 563
Yoneda, T., see Takeda, Y.
Zammit, V. C., see Wong, K. S.
Zanchetti, A., Chalmers, J., Arakawa, K., Gyarfas, I., Hamet, P., Hansson, L., Julius, S., MacMahon, S., Mancia, G., Ménard, J., Omie, T., Reid, J. and Safar, M. Summary of 1993 WHO/ISH guidelines for the management of mild hypertension: Memorandum from a WHO/ISH meeting 801
Zhang, B. L., Liu, K. L., Sacquet, J., Wiernsperger, N., Benzoni, D. and Sassard, J. Effects of naftidrofuryl on isolated perfused kidneys of spontaneously hypertensive rats 655
Zhao, Y., see Morishita, R.,
Ziesak, M. D., see Gordon, R. D.